

# M-40

## AUTOMATIC GUMMY PRODUCTION SYSTEM




'Starchless' Gummies from either **Pectin** or **Gelatin** formulations.



System pictured is a Pectin Line.



15" Touch Screen




Compact Stripper Brush Motors



Live-Belt Drive Motor (Inside Roller)

With only 26' of overall length, the **M-40 Automatic Gummy Production System** is a compact work-horse capable of depositing up to 15,000 Gummies Per Hour. It is available in single kitchen "batch" or dual kitchen "semi-continuous" formats.






**Pneumatic Belt Tensioner**

- Controlled by Touch Screen -



**Tubular Frame on Depositor & Kitchen**



**Leveling Feet on Depositor & Kitchen Frames**



**Viewing Window at Demolding Station**



- Gumdrops Mold -

## TECHNICAL SPECIFICATIONS


<b>M O D E L</b>	<b>M-40</b>
<b>Production Capacity:</b>	40kg/h
<b>Electric Power Needed:</b>	220V / 3hp / 60Hz
<b>Chiller:</b>	5hp
<b>Compressed Air Consumption:</b>	0.5m <sup>3</sup> / min
<b>Compressed Air Pressure:</b>	0.4-0.6 Mpa
<b>Environmental Conditions:</b>	
1. Room Temperature (°C)	22~25
2. Humidity (%)	45
<b>Approx. Length of the Line (Kitchen &amp; Depositor with Cooler)</b>	26 ft
<b>Gross Weight (Kg):</b>	Approx. 2100 (Depositor & Cooler)



# Top View Configurations of Popular Models\*


(Models Pictured are Set Up for Pectin Gummies)

**M40**  
(BATCH)




Speed: 15,000 / hr

**M80**  
(BATCH)




Speed: 30,000 / hr

**M150**  
(BATCH)




Speed: 60,000 / hr

**M150**  
(SEMI-CONTINUOUS)




Speed: 60,000 / hr

**M300**  
(BATCH)



Speed: 120,000 / hr

**M300**  
(CONTINUOUS)



Speed: 120,000 / hr

\*Ultimate output per hour depends on several factors, such as; tank size, cleaning time and depositor speed.